

PACIFIC REGION HELIPORT STATUS 2018-07-28

HELIPORT CLASSIFICATION:

- H1: Helicopters permitted to use an H1 heliport (arr/dep) shall be multi-engined and capable of remaining at least 4.5 m (15 feet) above all obstacles within the approach/departure area when operating in accordance with their Aircraft Flight Manual with one engine inoperative. (*EC145, AW139, S76C+ & others with Cat A performance*)
- H2: Helicopters permitted to use an H2 heliport (arr/dep) shall be multi-engined. (*212, 427*)
- H3: heliport (arr/dep) available for single-engined or multi-engined helicopters.

BC HELIPORTS & STATUS

Abbotsford Hospital (H1) day/nite

Campbell River Hospital (H1) rooftop day/nite

- Opening soon
- Not in CFS yet

Comox Valley Hospital (H1) rooftop day/nite

- Opening soon
- Not in CFS yet

(Cranbrook) East Kootenay Regional Hospital (H1 – 2 flight paths), (H2 – 1 flight path) day/nite

(Duncan) Cowichan District Hospital (H2) day/nite

(Ferne) Elk Valley Hospital (H2) day/nite NVG compliant

(Ganges) Lady Minto Hospital (H2) day/nite

(Golden) District General Hospital (H2) day

Invermere Hospital (H1) day/nite

(Kamloops) Royal Inland Hospital (H1 – arc & H3 – 1 flight path) day

(Kelowna) Alpine Helicopters (H3 & H2) day

(Kelowna) Wildcat Helicopters (H3) day

Kelowna General Hospital (H1) rooftop day/nite

Nanaimo Regional Hospital (H1) day/nite

(Nanaimo) Gabriola Health Clinic (H3) Registered

(New Westminster) Royal Columbian Hospital (H1) rooftop day/nite

Port Alberni Westcoast General Hospital (H2) & (H1) day/nite

Port Alice Hospital Registered – open to all, no classification

Port Hardy Hospital (H3) day
- Closed temporarily

Port McNeill Hospital (H3) day
- Closed temporarily

Powell River Hospital (H2) day/nite

Pr Rupert General Hospital (H3) day/nite

Pr Rupert Seal Cove Heliport (H3) day/nite

Quesnel GR Baker Hospital (H3) day

Revelstoke Hospital (H3) day
• Not in CFS yet

(Sechelt) St Mary's Hospital (H1 & H2) day/nite

Trail Kootenay Boundary Regional Hospital (H2) day

Vancouver BC Children's & Women's Hospital (H1) day/nite

Vancouver Coquitlam Fire & Rescue (H3) day NVG nite compliant

Vancouver General Hospital (H1) rooftop day/nite

Vancouver Harbour Heliport (H3) day/nite

Vancouver Surrey Memorial (H1) day/nite

Victoria Camel Point H3) day/nite

Victoria General Hospital (H2) day/nite

Victoria Royal Jubilee Hospital (H2) day/nite

Whistler Health Care Center (H3 & H1) day/nite

NOTES:

All heliports are PPR – Prior Permission Required with PPR number in CFS.

At heliports where the machine does not match the classification, call 911 and arrange to meet ground ambulance at airport or other safe landing site.

No allowance to land at a hospital if machine does not match classification; no ambulance personnel will be on site, hospital will not go outside to retrieve patient, etc.

If inadvertently landed at wrong classification, cannot depart without Transport Canada approval.

Check NOTAMs for any changes to classification or procedures.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B6 AERODROME/FACILITY DIRECTORY


ABBOTSFORD BC (Cont'd)

CYXX

PRO (Cont'd)	VFR ARR/DEP ROUTES: Arrivals: Rwy 01: Kilgard; Vedder; or Aldergrove. Rwy 19: Greenhouse or 264th. All Routes: Obtain ATIS Message 119.8 Contact tower on 119.4 unless instructed otherwise by current ATIS. Squawk assigned transponder code. Fly assigned routing. If assigned a route maintain 2000 ASL until cleared lower or turning final. Departures: Rwy 01: 264th or Greenhouse. Rwy 19: Aldergrove or Vedder. All Routes: Fly the assigned departure route. If assigned a route maintain 1500 ASL until cleared higher. Remain on 119.4 until instructed to change by tower.
HELI	Dep climb to 800 ASL ASAP. Dep/arr E, W, & NW follow rtes as depicted on VTPC. Dep/arr S & SW as cleared by ATC. Infield heli tng area, remain 400' fr rwy's and twys 700 ASL & below, ctc ATC for Heli circuit procedures.
CAUTION	Numerous obsts in heli tng areas. Parachute area aprx 5NM NNE of aprt. Tall vehicles on road S Thld 01; Ngt ops must use PAPI.

ABBOTSFORD (REGIONAL HOSP & CANCER CENTRE) BC (Heli)

CAB5

REF	N49 02 10 W122 18 51 17°E (2012) UTC-8(7) Elev 287' VTA A5004	
OPR	Abbotsford Regional Hosp & Cancer Centre 604-851-4966 Cert PPR	
FLT PLN	NOTAM FILE CYXX	
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
HELI DATA	FATO/TLOF 86' dia CONC Safety Area 115' dia GRASS Max heli overall length 57.4' Opr	
RCR		
LIGHTING	RY(LO) DR	
COMM	RCO Cranbrook rdo 119.4 (RAAS) 07-15Z± Pacific rdo 122.5 (FISE) 126.7 (bcst) ATIS 119.8 1-877-517-2847 15-07Z± TWR Abbotsford 119.4 (inner) 121.0 (outer) 15-07Z± MF Cranbrook rdo 119.4 07-15Z± CZ shape irregular 2500 ASL (CAR 602.98) A/G Hosp Security 158.76 FM 3 min PN	
PRO	Heli lctd in CYR141. PPR fr Warden Pacific Institute. Ops rstd to acft auth by British Columbia Ambulance Service. Arr/dep 116° fr heli, slope 6% (H3) & 263° fr heli slope 16% (H1).	
CAUTION	Trees along edge of flt paths.	



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

AERODROME/FACILITY DIRECTORY B217

CRANBROOK (EAST KOOTENAY REGIONAL HOSP) BC (Heli)

CAE2




REF	N49 30 42 W115 44 59 15°E (2012) UTC-7(6) Elev 3061' A5005
OPR	Interior Health Authority 250-426-5281 Cert NVG Compliant PPR
PF	B-1,2,4 C-3,5,6
FLT PLN	NOTAM FILE CYXC
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 86' dia CONC Safety Area 115' dia GRASS Max heli overall length 57.4' (CAR 602.96)
RCR	Opr
COMM	Blind spots all quads Cranbrook rdo 122.3 5NM centred on Cranbrook land A/D 5.9NM N 6100 ASL (CAR 602.98)
MF	
ATF	Advs Cranbrook rdo 122.3 3NM 4600 ASL exc MF area within Cranbrook CZ.
PRO	Arr/dep 358° fr heli, slope 16% (H1) day use only. Arr/dep 170° fr heli, slope 18% (H1) day use only. Arr/dep curved 253° to 281°, slope 12% (H2) day use only (CAR 602.96). NVG rqrd for night use, all flt paths (CAR 602.96) 20 min PPR OPR.
CAUTION	Numerous prkg lot lgt standards adj all quads. Trees to 150 AGL, 350' W of heli, both sides of H2 flt path.

CREE LAKE / CRYSTAL LODGE (MIDGETT FIELD) SK

CKS8

REF	N57 27 51 W106 44 54 12°E (2012) UTC-6 Elev 1615' aprx A5023
OPR	Crystal Lodge 306-222-8339 or 306-373-3499 Fax 306-374-4411 Satellite phone: 600-702-4113 Jun and Sep Reg
PF	B-1,2,5 PN Opr Jun 1-Sep 20
FLT PLN	NOTAM FILE CZWL
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
ACC	Winnipeg IFR 888-834-3344 or 204-983-8337
RWY DATA	Rwy 18(186°)/36(006°) 3185x40 clay
RCR	Opr No win maint. Rwy undulating. Rwy rises fr both thlds towards mid-point.





CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

DUNCAN (COWICHAN DISTRICT HOSP) BC (Heli)

CDH4




REF	N48 47 10 W123 43 17 Adj 17°E (2014) UTC-8 (7) Elev 130' VTA A5004
OPR	Cowichan District Hospital 250-370-8575 Cert PPR
PF	A-1 C-2,3,4,5,6
FLT PLN	NOTAM FILE CYCD
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 86' dia ASPH Safety Area 115' dia ASPH
RCR	Op
LIGHTING	RW (LO) green
COMM	
ATF	tfc 122.8 4NM 3200 ASL
PRO	Arr/dep 342° to 023° fr heli, slope 12% (H2), day/night use. (CAR 602.96).
CAUTION	Hosp bldg lctd 197' NW of heli parking lot -marked with obst lgt. Antenna twr lctd on top of the hosp bldg W of the heli.

DUNDALK (TRIPP FIELD) ON

CTF4

REF	N44 10 23 W80 18 37 3.7E 10°W UTC-5(4) Elev 1700' VTA A5000
OPR	Robin Tripp 519-923-6653 Reg PPR
PF	B-1 C-2 D-4
FLT PLN	NOTAM FILE CYVV
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
RWY DATA	Rwy 05(050°)/23(230°) 3194x70 turf Thld 23 displ 600'
RCR	Op May-Nov ltd hrs No win maint
COMM	
ATF	tfc 123.2 5NM 4700 ASL
CAUTION	Unmarked P-lines 30 AGL on apch Rwy 23, 200' fr thld. Windmill aprx 2000' N Thld 23 400 AGL. Wind turbine group 4NM NNW A/D 2154 ASL (395 AGL). Marked P-lines 70 AGL 350' SE side parallel to rwy lgt'd at each end.





CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

AERODROME/FACILITY DIRECTORY B311

FERNIE (ELK VALLEY HOSP) BC (Heli)

CBP3




REF	N49 30 46 W115 03 22 15°E (2013) UTC-7(6) Elev 3299' A5005
OPR	Interior Health Region 250-423-4453 Cert NVG Compliant PPR
PF	A-1 C-2,3,4,5,6
FLT PLN	NOTAM FILE CYXC
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 86' dia CONC/ASPH Safety Area 115' dia GRASS/ASPH Max heli overall length 57.4' (CAR 602.96) .
RCR	Opr
COMM	
RCO	Pacific rdo 123.375 (FISE)
ATF	tfc 123.2 5NM 5300 ASL
PRO	Arr/Dep 030° and 145° to 167° curved path fr heli, slope 16% (H2).
CAUTION	Rising terrain E of railway. Lgtd twr aprx 1500' S of heli 3460 ASL.

FILLMORE SK



CKN5

REF	N49 52 08 W103 26 43 Adj SW 10°E UTC-6 Elev 2000' aprx A5006
OPR	R. Boll 306-722-3867 Reg
PF	C-1,2,4,5 D-3,6
FLT PLN	NOTAM FILE CYQR
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
SERVICES	
S	5
RWY DATA	Rwy 11(112°)/29(292°) 2900x100 turf
RCR	Opr Ltd win maint
COMM	
ATF	tfc 123.2 5NM 5000 ASL



GANDER (JAMES PATON MEM REGIONAL HEALTH CENTRE) NL (Heli)



CGH2



REF	N48 57 19 W54 37 38 Adj W 19°W (2014) UTC-3½(2½) Elev 432' A5012
OPR	James Paton Mem Regional Health Centre 709-256-5552/2500 Cert PN
PF	A-1,2,3,4 C-5,6
FLT PLN	NOTAM FILE CYQX
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
ACC	(IFR only) Gander 709-651-5225 or 888-751-5225.
HELI DATA	FATO/TLOF 79' x 79' ASPH Safety Area 105' x 105' ASPH Max heli overall length 52.5'
RCR	Opr Ltd win maint
COMM	
TWR	Gander 118.1 at Gander Intl A/D 2.4NM SE
PRO	Arr/dep btwn 151°-243° fr heli, slope 8% (H3). Portion of arr/dep path overlies golf course. Verify that sufficient suitable and reachable emergency landing areas are available and not occupied by persons on the ground prior to use of arr/dep path.

GANGES (LADY MINTO/GULF ISLANDS HOSP) BC (Heli)

CAL7



REF	N48 51 45 W123 30 31 17°E (2014) UTC-8(7) Elev 148' VTA A5004
OPR	Lady Minto Gulf Island Hosp Administrator 250-538-4800 Cert PPR
PF	B-1,4 C-2,3,5,6

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B370 AERODROME/FACILITY DIRECTORY

GANGES (LADY MINTO/GULF ISLANDS HOSP) BC (Heli) (Cont'd)


CAL7

FLT PLN	NOTAM FILE CYCD
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 86' dia CONC Safety Area 115' dia CONC/TURF
RCR	Max heli overall length 57' (CAR 602.96) Opr
LIGHTING	RW(LO) DR O/R
COMM	
ATF	tfc 123.2 2NM 1200 ASL
PRO	Arr/dep 023° fr heli, slope 12% (H2) (CAR 602.96), day/night use.
CAUTION	120' transmission lines 1000' N of heli. Trees both sides of flt path. Bldg 100 AGL adj SW, Ganges water A/D 0.7NM SE.

GARDEN RIVER AB

CFU4

REF	N58 42 50 W113 52 34 1N 17°E (2012) UTC-7(6) Elev 790' A5023
OPR	Little Red River Cree Nation 780-759-3912 Reg PPR
FLT PLN	NOTAM FILE CYOJ
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526
RWY DATA	Rwy 07(073°)/25(253°) 3000x75 turf
RCR	Opr
COMM	
ATF	tfc 123.2 5NM 3800 ASL




GARTNER AB — See EDMONTON / GARTNER

GASPÉ (MICHEL-POULIOT) QC

CYGP

REF	N48 46 31 W64 28 47 3.5W 19°W (2013) UTC-5(4) Elev 112' A5011 LO7 LO8 HI6 CAP
OPR	Muni 418-368-2104 Ext 8514/8512 Cert
PF	A-1,2 B-6 C-3,4,5
CUST	AOE/CAN
FLT PLN	(bil) NOTAM FILE CYGP
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
ACC	Montréal 800-633-1353
WX	METAR H24. AUTO (see COMM) TAF H24, issue times: 02, 08, 14, 20Z.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

AERODROME/FACILITY DIRECTORY B381

GOLD RIVER (THE RIDGE) BC (Heli) (Cont'd)


CGR4

PRO	Arr/dep curved flt path 085° to 036° fr heli, (H3), day use only
CAUTION	Steep bank adj N, trees adj NW thru S, steep apch rqrd to clear all obst, ltd maint and tail rotor clearance.

GOLDEN BC



CYGE

REF	N51 17 57 W116 58 56 Adj W 16°E (2013) UTC-7(6) Elev 2576' A5005 LO2 CAP RCAP
OPR	Town 250-344-2271/6017 Reg
PF	A-1 C-2,3,4,5,6
FLT PLN	NOTAM FILE CYKA
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
WX	METAR 14-24Z (DT12-24Z) O/T LWS WxCam
SERVICES	
FUEL	100LL, JA (FSII avbl) (Opr Automated full/self-serve, VISA, MasterCard, Amex, SP refuelling O/R) 250-344-2534
S	4,5,6
RWY DATA	Rwy 14(142°)/32(322°) 4528x75 asphalt
RCR	East Kootenay Fuel Sales Ltd 250-344-2534
COMM	
RCO	Pacific rdo 122.375 (FISE) 126.7 (bcst)
MF	tfc 122.8 5NM 5600 ASL
PAL	Vancouver Ctr 132.35 (Kamloops) (may not be receivable on ground)
PRO	Rgt hand circuits Rwy 32 (CAR 602.96), circuit hgt 4000 ASL.
CAUTION	Blasting 4NM NNW sfc to 5700 ASL ocsf by NOTAM. Blasting 7NM SE sfc to 5000 ASL. Hang gliding & parasailing all year. Deer on rwy.



GOLDEN (GOLDEN & DISTRICT GEN HOSP) BC (Heli)

CBT5



REF	N51 17 49 W116 58 01 16°E (2014) UTC-7(6) Elev 2575' A5005
OPR	Golden & District Hosp 250-344-3007 Cert PPR

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B382 AERODROME/FACILITY DIRECTORY

GOLDEN (GOLDEN & DISTRICT GEN HOSP) BC (Heli) (Cont'd)


CBT5

FLT PLN	NOTAM FILE CYKA
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 64' dia asphalt/grass Safety Area 85' asphalt/grass
RCR	Max heli overall length 43' (CAR 602.96) Opr
COMM	
RCO	Pacific rdo 122.375 (FISE) 126.7 (bcst)
MF	tfc 122.8 5NM centred on Golden A/D adj 5600 ASL (CAR 602.98)
A/G	Ambulance dispatch 130.275
PRO	Arr/dep 339° fr heli, slope 12% (H2) (CAR 602.96)
CAUTION	P-line adj S side. Obst to 100 AGL all quads. Fence borders safety area.

GOODSOIL SK

CKF4

REF	N54 25 W109 14 1NNW 13°E (2013) UTC-6 Elev 1750' A5015
OPR	Village 306-238-2094 Reg
PF	C-1,2,4,5
FLT PLN	NOTAM FILE CYP A
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA	Rwy 07(077°)/25(257°) 2950x100 turf
RCR	Opr Ltd win maint
COMM	
ATF	tfc 123.2 5NM 4800 ASL
PRO	Rgt hand circuits Rwy 25 (CAR 602.96).
CAUTION	Fence 75' fr thld 07. Lgt tower 2290 ASL (365 AGL) 4.2NM W of A/D.



GOODWINS FARM AB — See SUNDRE / GOODWINS FARM

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

AERODROME/FACILITY DIRECTORY B463

INVERMERE BC



CAA8

REF	N50 31 W116 00 1.4NE 16°E (2012) UTC-7(6) Elev 2820' A5005
OPR	Babin Air 250-342-3565 Reg PPR Ldg fees apply
PF	A-1 B-2,5 C-3,4,6
FLT PLN	NOTAM FILE CYXC
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
WX	WxCam
SERVICES	
FUEL	100LL PN
OIL	All
S	1,2,4,5,6 PN
RWY DATA	Rwy 15/33 3000x75 asphalt
RCR	Opr Ltd win maint
COMM	
RCO	Pacific rdo 123.475 (FISE) 126.7 (bcst)
ATF	tfc 123.2 5NM 5900 ASL
PRO	Rgt hand circuits Rwy 15 (CAR 602.96).
CAUTION	Hang gliders/sailplanes in area E of hwy adj to rwy.



INVERMERE (DISTRICT HOSP) BC (Heli)

CIV2



REF	N50 30 26 W116 01 57 Adj 15°E (2013) UTC-7(6) Elev 2766' A5005
OPR	Interior Health Authority 250-342-9201 NVG Compliant Cert PPR
PF	B-1,2,4 C-3,5,6
FLT PLN	NOTAM FILE CYXC
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 86' dia ASPH Safety Area 115' dia GRASS/ASPH Max heli overall length 57.4' (CAR 602.96)
RCR	Opr
COMM	
RCO	Pacific rdo 123.475 (FISE) 126.7 (bcst)
ATF	tfc 123.2 5NM centered on Invermere A/D 5900 ASL

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B464 AERODROME/FACILITY DIRECTORY

INVERMERE (DISTRICT HOSP) BC (Heli) (Cont'd)


CIV2

PRO	Arr/dep 350° fr heli, slope 28% (H1) day, NVG required for night use (CAR 602.96). Arr/dep curved 168° thru 125° fr heli, slope 14% (H1) day, NVG required for night use (CAR 602.96).
CAUTION	Numerous pkg lot lamp standards to 15' adj BLW 168° flt path marked and lgtd, P-line(s) adj E marked, power poles adj E marked and lgtd.

INVERNESS (CONSOLIDATED MEM HOSP) NS (Heli)

CNV2


REF	N46 11 58 W61 17 29 2S 19°W (2014) UTC-4(3) Elev 100' A5003
OPR	Cape Breton District Health Authority 902-258-2100 Reg PPR
FLT PLN	NOTAM FILE CYQY
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
ACC	(IFR only) Moncton 506-867-7177 or 866-480-8200.
HELI DATA	79' x 79' asphalt 108' x 108'
LIGHTING	FH
COMM	
ATF	tfc 123.2 5NM 3100 ASL
PRO	Arr/dep path 297° fr heli.
CAUTION	Unlgtd p-line along roadway east of pad.



IONA STATION (BOBIER STRIP) ON

COS2

REF	N42 40 35 W81 27 04 2.7SW 9°W (2017) UTC-5(4) Elev 755' A5000
OPR	Robert Bobier 519-762-2486 Reg PPR May-Oct
FLT PLN	NOTAM FILE CYXU
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
RWY DATA	Rwy 05(055°)/23(235°) 2225x60 TURF
RCR	Opr No win maint. Rwy soft in spring. Rolling sfc.
COMM	
ATF	tfc 123.2 5NM 3700 ASL
CAUTION	Barn at Thld 23.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B482 AERODROME/FACILITY DIRECTORY

KAMLOOPS BC (Cont'd)

CYKA

NAV	NDB YKA 223 (M) N50 41 01 W120 20 07 HARPER RANCH YZK 414 (L) N50 42 05 W120 25 41 DME IKA 109.3 Ch 30 N50 42 14 W120 27 41 (1136') XPP 109.9 Ch 36 N50 42 23 W120 27 37 (1149') ILS IKA 109.3 (Rwy 09) LOC XPP 109.9 (Rwy 27) reliable only within 10° of centreline.
PRO	Day: rgt hand circuits Rwys 04, 22 & 27 (CAR 602.96). Night: follow VTPC night circuit pro. Tkof and ldg by fixed wing acft not auth outside rwy strip
CAUTION	Only pilots familiar with lcl terrain should use this aprt dur hrs of darkness. Ng't ops not recommended unless all 6 hazard beacons are oprg. Hi terrain reduces operational length of Rwys 09 and 27 PAPI.

KAMLOOPS FIC – RCO



Cross reference to PACIFIC RADIO – RCO

KAMLOOPS FSS – RCO

Victoria 119.7 (RAAS) 08-14Z± (N48 38 W123 25)

KAMLOOPS (ROYAL INLAND HOSP) BC (Heli)

CBC4



REF	N50 40 09 W120 19 59 Adj 17°E (2012) UTC-8(7) Elev 1348' A5004
OPR	Interior Health Authority 250-374-5111 Cert PPR
PF	B-1,2,4 C-3,5,6
FLT PLN	NOTAM FILE CYKA
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO 86' dia elevated TLOF 57' dia CONC Safety Area 115' dia elevated 17,000 lbs Max heli overall length 57.4' (CAR 602.96)
RCR	Opr
LIGHTING	RY(LO) green ARCAL-125.7 type J
COMM	MF Kamloops rdo 125.7 5NM 4100 ASL centered on Kamloops aprt (CAR 602.98).

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

AERODROME/FACILITY DIRECTORY B483

KAMLOOPS (ROYAL INLAND HOSP) BC (Heli) (Cont'd)


CBC4

PRO	Arr/dep 125° fr heli, slope 6% first section, 16% second section (H3) day/night use (CAR 602.96). Arr/dep 002° to 125° fr heli, slope 6% (H1) day/night use (CAR 602.96).
CAUTION	Unlgt'd embankment to 40', adj SE.

KAMSACK SK

CJN2


REF	N51 33 35 W101 52 44 Adj E 7°E (2016) UTC-6 Elev 1510' A5006
OPR	Town 306-542-2155 Fax 306-542-2975 Reg
PF	C-1,2,4,5,6
FLT PLN FIC	NOTAM FILE CYQV Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
SERVICES FUEL S	For svcg ctc opr or 306-542-2731, 306-590-9080 100LL 14-23Z† Mon-Fri (exc hols) 4,5,6
RWY DATA RCR	Rwy 16(166°)/34(346°) 2700x75 ASPH Opr Ltd win maint
LIGHTING	16-(TE LO), 34-(TE LO) ARCAL-123.2 type J
COMM ATF	tfc 123.2 5NM 4600 ASL
PRO	Rgt hand circuits Rwy 34 (CAR 602.96).



KANANASKIS VILLAGE HELISTOP AB (Heli)

CFE7

REF	N50 55 22 W115 08 37 Adj N 15°E (2014) UTC-7(6) Elev 5027' A5005
OPR	Alberta Environment & Sustainable Resource Development - Parks Division, Kananaskis Region 403-678-5508 Reg
PF	B-1 C-1,2,3,5
FLT PLN FIC ACC	NOTAM FILE CYBW Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) Edmonton IFR 888-358-7526
HELI DATA	70' x 150' PPR for acft over 8400 lbs
COMM ATF	tfc 123.3 5NM 8100 ASL
PRO	15 min loading/unloading only. Noise sensitive area. Avoid overflying Kananaskis Village, Nakiska & golf course. Min cruising alt 1000 AGL within 1NM. High density heli tfc - see Canmore VTPC



CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

AERODROME/FACILITY DIRECTORY B499

KELOWNA (ALPINE) BC (Heli)

CAB7

REF	N49 51 50 W119 34 07 16°E (2013) UTC-8(7) Elev 1640' A5004 A5005
OPR	Alpine Helicopters Ltd 250-769-4111 Cert PPR
FLT PLN	NOTAM FILE CYLW
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO 88' x 88' TURF TLOF 26' x 26' CONC Safety Area 120' x 120' TURF Max heli overall length 59' (CAR 602.96)
RCR	Op
LIGHTING	RW (LO) All portable PN
COMM	
RCO	Pacific rdo 122.5 (FISE) 126.7 (bcst)
ATF	tfc 123.2 1.5NM 3000' ASL
PRO	Arr/dep 345° fr heli, slope 8% (H3) day use only (CAR 602.96) Arr/dep 030° fr heli, slope 8% (H3) day/night use.
CAUTION	Rising terrain to the NW & SW.




NOTAM issued:
H3 - 317 to 344 fr heli, day
H2 - 024 to 344 fr heli, day

KELOWNA (ARGUS) BC (Heli)

CRG2

REF	N49 57 41 W119 26 46 2.1NNW 16°E (2014) UTC-8(7) Elev 1877' A5005
OPR	Argus Properties 250-763-6789 Reg PPR
FLT PLN	NOTAM FILE CYLW
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 105' x 51' CONC Safety Area 105' x 51' CONC
RCR	Op
COMM	
RCO	Penticton rdo 119.6 (RAAS) 0630-1400Z± Pacific rdo 122.5 (FISE) 126.7 (bcst)
TWR	Kelowna 119.6
MF	Penticton rdo 119.6 0630-14Z± Kelowna CZ shape irregular 6500 ASL, comm blind spots all quads (CAR 602.98)
PRO	Arr/dep 154° fr heli (H3), day use only Arr/dep 344° fr heli (H3), day use only





CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B500 AERODROME/FACILITY DIRECTORY

KELOWNA (GEN HOSP) BC (Heli)

CKH9



REF	N49 52 27 W119 29 33 Adj S 17°E (2012) UTC-8(7) Elev 1349' A5004 A5005
OPR	Interior Health Authority 250-980-1390 Cert PPR
PF	B-1,2,4 C-3,5,6
FLT PLN	NOTAM FILE CYLW
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO 86' x 86' Non-supporting TLOF 59' x 59' METAL Safety Area 117' x 117' 18,000 lbs Max heli overall length 57.4' (CAR 602.96) Elevated/rooftop heli
RCR	Opr
LIGHTING	RW(LO) green ARCAL-123.2 type J
COMM	
RCO	Penticton rdo 119.6 (RAAS) 0630-14Z‡ Pacific rdo 122.5 (FISE) 126.7 (bcst)
ATIS	127.5 14-0630Z‡ 250-491-0310
GND	121.7 14-0630Z‡
TWR	119.6 292.2 (V) 14-0630Z‡ (emerg only 250-765-3426)
MF	Penticton rdo 119.6 0630-14Z‡ CZ shape irregular 6500 ASL, comm blind spots all quads (CAR 602.98)
PRO	Transponder Mode C req'd within Class D Airspace and Kelowna CZ. Arr/dep btwn 253° to 051° fr heli, slope 1% (H1), day/night use (CAR 602.96)
CAUTION	Flight path extends into Westbank ATF 123.2.

CANADA FLIGHT SUPPLEMENT / GPH 205


Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

AERODROME/FACILITY DIRECTORY B501

KELOWNA / IKON ADVENTURES BC (Heli)

CIA2

REF	N49 52 51 W119 31 21 1.1SW 16°E (2017) UTC-8(7) Elev 1122' A5005
OPR	Ikon Adventures 778-837-1291 Reg PPR
PF	C-1,2,3,4,5,6,7,8
FLT PLN	NOTAM FILE CYLW
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO 64' dia non-supporting TLOF 33' x 33' CONC Safety Area 85' dia non-supporting 6000 lbs Max heli overall length 42.7' Opr Daylight hrs
RCR	




COMM	
RCO	Pacific rdo 122.5 (FISE) 126.7 (bcst)
ATF	tfc 123.2 1NM 2499 ASL
PRO	Arr/dep 344° to 074° fr heli, slope 8% (H3), day use only.
CAUTION	Extv lcl tfc fr surrounding helis and waterways, monitor 126.7. Marine tfc in vic.

KELOWNA (WILDCAT HELICOPTERS) BC (Heli)

CWC2

REF	N49 52 03 W119 34 45 16°E (2015) UTC-8(7) Elev 1640' A5004 A5005
OPR	Wildcat Helicopters Inc. 250-769-9093 Cert PPR
PF	A-1 B-3 C-2,5,6 D-4
FLT PLN	NOTAM FILE CYLW
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
SERVICES	
FUEL	Jet A
OIL	MOBIL JET II and 254
S	1,2,3,4,5,6
HELI DATA	FATO/TLOF 90' x 90' CONC/ASPH/TURF Safety Area 120' x 120' CONC/ASPH/TURF 17,000 lbs rstd to Bell 214B Max heli overall length 60' (CAR 602.96)
RCR	Opr



COMM	
RCO	Pacific rdo 122.5 (FISE) 126.7 (bcst)
ATF	tfc 123.2 1.5NM 3000' ASL
PRO	Arr/dep 047° fr heli 8% (H3), day use only.

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B700 AERODROME/FACILITY DIRECTORY

NANAIMO BC (Cont'd)

CYCD

PRO	AIRPORT RESTRICTION: Pursuant to CAR 602.96 (3)(d) aprt use rstd acft with a wingspan of less than 118' Circuit alt 1200 ASL. Avoid fit over built-up areas below 1000 ASL. Rwy 34:Rgt hand circuits (CAR 602.96). Maintain 1200 ASL til over Ladysmith Harbour. See VTPC. Rwy 16:Climb to safe alt. Left turn hdg 142° til over Ladysmith Harbour. Climb over Harbour to 1000 ASL BPOC. See VTPC. Gliders:Circuits to W of aprt. Procedures for crossing the southern Strait of Georgia within Tml Class C airspace refer to Vancouver Intl, VTPC for Crossing the Southern Strait of Georgia. ATS REQUIREMENTS: All VFR acft arriving, departing or transiting the Vancouver or Victoria Tower Class C or D airspace require a transponder code. - All acft departing Vancouver or Victoria Intl (including Water Aerodrome) call Kamloops FIC at 866-541-4101 or PAC RDO 126.0 for code assignment at least 30 min prior to flight or file a VFR Flight Plan/Flight Itinerary. - All acft arriving Vancouver, Victoria Intl (including Water Aerodrome) or transiting Vancouver or Victoria Control Zones obtain a code from one of the following ATS units: Vancouver Harbour, Nanaimo, Victoria Harbour, Boundary Bay, Langley, Abbotsford or Pitt Meadows, or call Kamloops FIC at 866-541-4101 or PAC RDO 126.0. - All acft arriving Victoria Intl from a non NAV CANADA site call Kamloops FIC at 866-541-4101 or PAC RDO 126.0 for code assignment at least 30 minutes prior to flight or file a VFR Flight Plan/ Flight Itinerary.
CAUTION	Recommend that only pilots familiar with the lcl area use this aprt dur hrs of darkness. Night ops not recommended unless the PAPI and all five hazard beacons are oprg. High terrain reduces operational length of Rwy 34 PAPI obstacle protection sfc. Deer in vic of rwy. Rising terrain immediately S of thld Rwy 34 (see VTPC). Grass strip W of Rwy 16/34, S of twy B, rstd to DND Air Cadet glider ops only, active Apr to June and Sep to Nov.

NANAIMO / GABRIOLA ISLAND (HEALTH CLINIC) BC (Heli)

CGB4

REF	N49 10 42 W123 50 07 Adj 17°E (2014) UTC-8(7) Elev 341' VTA A5004	
OPR	Gabriola Health Care Foundation 250-325-7215 Reg PPR	
PF	A-1,4 C-2,3,5,6	
FLT PLN	NOTAM FILE CYCD FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
HELI DATA	FATO 78' dia GRASS TLOF 32' dia CONC Safety Area 110' dia GRASS Max heli overall length 55'	
RCR	Opr	
LIGHTING	DR RW(LO) ARCAL-123.2 type J	
COMM	RCO Pacific rdo 126.0 (FISE) ATF tfc 122.9 5NM 3300 ASL centred on Nanaimo Harbour water A/D 4.0NM W 3000 ASL	
PRO	Arr/dep 092° & 285° fr heli, Slope 8% (H3) day/night use.	
CAUTION	Trees 100 AGL adj heli all quads; only pilots familiar with local terrain should use this heli during hours of darkness.	


CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

AERODROME/FACILITY DIRECTORY B701



NANAIMO HARBOUR HELIPORT BC (Heli)

CDH5

REF	N49 09 39 W123 55 24 Adj ESE 17°E (2015) UTC-8(7) Elev 12' VTA A5004 CAP	
OPR	Pacific Heliport Services Ltd 250-889-6852 Fax 604-273-5301 Cert PPR Landing fees	
PF	A-1,3,7,8 C-2,4,5,6	
FLT PLN	NOTAM FILE CYCD	
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA) or 250-376-8392	
WX	WxCam	
SERVICES		
PVT ADV	250-889-6852 1400-0130Z± Mon-Fri	
HELI DATA	FATO/TLOF 85' dia ASPH Safety Area 114' dia ASPH, most easterly section GRVL/packed aggregate 11,900 lbs Max heli overall length 56.8' Parking Pads A & B: 69' dia ASPH 11,900 lbs Opr 1400-0130Z± Win maint PN	
RCR		
LIGHTING	RW(LO) green	
COMM		
ATF	Nanaimo Harbour tfc 122.9 5NM 3000 ASL	
PRO	Arr/dep 005° to 140° fr heli, slope 8% (H3).	

NANAIMO (REGIONAL HOSP) BC (Heli)

CBG5



REF	N49 11 09 W123 58 18 1.7WNW 17°E (2013) UTC-8(7) Elev 293' VTA A5004
OPR	Nanaimo Regional General Hospital 250-370-8575 Cert PPR
PF	B-1,2,4 C-3,5,6
FLT PLN	NOTAM FILE CYCD
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 87' dia CONC/TURF Safety Area 115' dia GRASS Max heli overall length 57.4'
RCR	Opr

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B702 AERODROME/FACILITY DIRECTORY

NANAIMO (REGIONAL HOSP) BC (Heli) (Cont'd)


CBG5

LIGHTING	RW(LO) green ARCAL-122.9 type J
COMM	
RCO	Pacific rdo 126.0 (FISE)
ATF	tfc 122.9 5NM 3300 ASL centred on Nanaimo Harbour water A/D 1NM ENE exc area within Nanaimo land A/D CZ and class "C" airspace
PRO	Arr/dep 163° & 344° fr heli, (H1) day/night (CAR 602.96)
CAUTION	Several pkg lot lamp standards to 20' adj N and S of heli, lgtd and marked, p-lines adj W marked, power poles adj W marked and lgtd.

NANAIMO (WEST COAST) BC (Heli)

CNH9


REF	N49 11 06 W123 59 20 17°E (2014) UTC-8(7) Elev 200' A5004 VTA
OPR	West Coast Helicopters Ltd 250-754-5448 Reg
PF	A-1 C-1,2,3,4,5,6
FLT PLN	NOTAM FILE CYCD
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL, JA-1 16-01Z± O/T ctc OPR
S	2 16-01Z±
PVT ADV	West Coast 159.975 129.6
HELI DATA	78'x65' concrete max heli wt 6000 lbs
RCR	Opr
COMM	
ATF	tfc 122.9 5NM centred on Nanaimo Harbour water A/D 1.5NM ENE 3000 ASL, excluding area within Nanaimo CZ and class C airspace.
PRO	Arr/Dep hwy quad. Avoid built-up areas.



NARAMATA BC (Heli)

CNM6

REF	N49 36 10 W119 34 43 1ENE 16°E (2015) UTC-8(7) Elev 1872' A5004 A5005
OPR	Finnair Ltd 250-770-0702 Reg PPR
FLT PLN	NOTAM FILE CYFF
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	75' x 75' gravel 200'x 200' max heli length 50', max 8000 lbs
RCR	Opr Days only
COMM	
ATF	tfc 123.2 0.5NM 2200 ASL
PRO	Dep/arr over abandoned railway to minimize noise. (Monitor Penticton 118.5 - See Penticton VTPC)
CAUTION	Power lines SSW of pad.





CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B802 AERODROME/FACILITY DIRECTORY

PORT ALBERNI (WEST COAST GEN HOSP) BC (Heli)

CBK5




REF	N49 14 54 W124 46 54 17°E (2015) UTC-8(7) Elev 272' A5004
OPR	West Coast Gen Hosp 250-723-5927 Cert PPR
PF	A-1,2,3,4 C-5,6
FLT PLN	NOTAM FILE CYCD
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 78.7' dia ASPH Safety Area 105' dia grass Max heli overall length 52.5' (CAR 602.96)
LIGHTING	RY/LO PN ARCAL-123.0 type J
COMM	
ATF	tfc 123.0 5NM 3100 ASL
PRO	Arr/dep curved 227° to 184° fr heli, slope 12% (H2), day/night use. Arr/dep 262° to 312° fr heli, (H1), day/night use. (CAR 602.96)
CAUTION	Tall trees N of H1 flt path. Canopy and bldg roof S of safety area.

PORT ALICE (HOSP) BC (Heli)

CBB5

REF	N50 25 36 W127 29 13 Adj Rumble Beach 18°E (2014) UTC-8(7) Elev 50' A5004
OPR	Port Alice Hosp 250-284-3555 Reg PPR
PF	B-1,2,4, C-3,5
FLT PLN	NOTAM FILE CYZT
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	43' dia concrete
RCR	Opr
COMM	
ATF	tfc 123.2 5NM 3100 ASL
PRO	Arr/dep to/fr SSW over water.
CAUTION	P-line 200' N 1000 ASL marked. Obstacles to 150 ASL all quads exc SSW over water.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

AERODROME/FACILITY DIRECTORY B807

PORT HARDY BC (Cont'd)

CYZT

SERVICES	
FUEL	100LL, JA-1 (FSII avbl), HPR
OIL	All
S	1,2,4,5,6
PVT ADV	Esso Avn 250-949-5153 15-04Z± Mon-Fri, 16-00Z± Sat, 17-04Z± Sun O/T 250-949-1037
MIL CON	Pacific Coastal Airlines (World Fuel Services) 250-949-5153
RWY DATA	
	Rwy 11(113°)/29(293°) 4999x150 asphalt
	Rwy 08(076°)/26(256°) 4000x150 asphalt Rwy 26 up 0.98%
	Rwy 16(162°)/34(342°) 3984x150 asphalt Rwy 16 up 0.75% Thld 34 displ 1491'
TWY	No vehicle control
RCR	Opr CRFI, Win maint 15-23Z Mon-Fri exc hols O/T PN, call out charges apply. No win maint Rwy 16/34. Rwy 16/34 rstd to acft gr wt of 12,500 lbs or less. PLR/PCN.
LIGHTING	
	08-(TE ME), 26-(TE ME) P2, 11-AO(TE ME), 29-AO(TE ME) P2
COMM	
RADIO	Hardy 122.2 (E) (emerg only 250-949-6331)
RCO	Pacific rdo 123.375 (FISE) 126.7 (bcst)
MF	Hardy rdo 122.2 5NM 3100 ASL excluding class G ATF (CAR 602.98). Refer to Port Hardy VTPC.
PAL	Vancouver Ctr 132.2 266.3
NAV	
NDB	ZT 242 (M) N50 41 57 W127 25 37
VOR/DME	YZT 112.0 Ch 57 N50 41 03 W127 21 55 (58')
DME	IZT 109.5 Ch 32 N50 40 34 W127 21 09 (21')
ILS	IZT 109.5 (Rwy 11)
PRO	
	Rgt hand circuits Rwys 26 & 29 (CAR 602.96) Rwy 08/26, Rwy 16/34 and Twy A not avbl for acft taxi when vis blw (1/2sm) (CAR 602.96).
CAUTION	
	Trees to 150 AGL within 500' of Rwys 08, 11, 26, 29 & 34. Extv eagle activity in the vic of Thlds 26 & 29. Radiosonde balloon launches with an ascent rate of 1000 ft/min daily between the hours of 1115-1345Z and 2315-0145Z.


PORT HARDY FSS - RCO

Tofino 123.25 (RAAS) 1330-0530Z± (N49 05 W125 51)

PORT HARDY (HOSP) BC (Heli)

CBS5

REF	N50 43 15 W127 30 11 18°E (2012) UTC-8(7) Elev 145' A5004
OPR	Port Hardy Hosp 250-902-6011 Cert PPR
PF	B-1,2,4 C-3,5,6
FLT PLN	NOTAM FILE CYZT
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	
	FATO/TLOF 86' dia CONC/ASPH Safety Area 115' ASPH/GRASS Max heli overall length 57.4' (CAR 602.96).
RCR	Opr
COMM	
RADIO	Hardy 122.2 (E)
RCO	Pacific rdo 123.375 (FISE) 126.7 (bcst)
ATF	tfc 122.2 2NM 1000 ASL excluding the area within the Port Hardy land A/D. Refer to Port Hardy VTPC.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B808 AERODROME/FACILITY DIRECTORY

PORT HARDY (HOSP) BC (Heli) (Cont'd)

CBS5

PRO	Arr/dep 030° fr heli, slope 6% (H3), day use only.
CAUTION	P-line marked with balls on apch. Parking curb borders pad. 4' fence along Safety Area. Floatplane arr/dep area adj.

PORT HAWKESBURY NS

CYPD

REF	N45 39 23 W61 22 06 2.1N 19°W (2013) UTC-4(3) Elev 373' A5003 LO8 HI6 CAP	
OPR	Muni 902-625-2206/5053 or 902-631-1512 Fax 902-625-7019 Reg	
PF	A-1 12-22Z± C-2,3,4,5,6	
CUST	AOE/15 888-226-7277	
FLT PLN	NOTAM FILE CYQY	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
ACC	(IFR only) Moncton 506-867-7177 or 866-480-8200.	
WX	METAR AUTO H24 (see COMM) WxCam	
SERVICES	Call out chg after hrs 902-625-2206/902-625-5053 PN	
FUEL	100LL, JA-1 12-22Z±	
OIL	15W50	
S	1,2,3,4,5,6	
RWY DATA	Rwy 11(109°)/29(289°) 5000x150 asphalt Rwy 29 down 0.82%	
RCR	Opr Ltd win maint	
LIGHTING	11-(TE ME), 29-(TE ME) ARCAL-122.8 key mic 3 times	
COMM		
DRCO	Halifax rdo 123.375 (FISE) 126.7 (bcst)	
ATF	UNICOM 122.8 1230-2130Z±, O/T tfc 122.8 5NM 3400 ASL	
AWOS	128.3	
NAV		
NDB	PD 229 (L) N45 39 19 W61 16 10	
CAUTION	Ocsl blasting by NOTAM to 1600 ASL 2NM SW airport.	


CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B812 AERODROME/FACILITY DIRECTORY


PORT McNEILL BC

CAT5

REF	N50 34 32 W127 01 43 2SE 18°E (2013) UTC-8(7) Elev 225' A5004	
OPR	Town 250-956-3111/4444 Reg	
PF	A-1 C-2,3,4,5 D-6	
FLT PLN	NOTAM FILE CYZT Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
FIC		
SERVICES		
FUEL	100LL 250-949-1932 or 250-956-4444, JA avbl for heli 250-956-2244, other aircraft on a call out basis from 250-956-3333	
S	2,4,5	
RWY DATA	Rwy 06(063°)/24(243°) 2400x36 asphalt Rwy 11(114°)/29(294°) 3650x75 gravel Thld 11 displ 350' Thld 29 displ 100' Rwy 29 down 0.41%	
RCR	APM 250-956-4444/949-1932 Ltd win maint	
LIGHTING	11-(TE LO), 29(TE LO) ARCAL-122.8 type J	
COMM		
RCO	Pacific rdo (Port Hardy) 123.375 (FISE) 126.7 (bcst) (may not be receivable on the ground)	
ATF	UNICOM 122.8 2NM 1800 ASL	
CAUTION	Rwy 06/24 15' lower than Rwy 11/29. 10' drop-off either side of Rwy 11/29 & Thld 29. Ground rises rgt of Thld 29. 100' trees 400' fr Thld 11. Terrain rises rapidly to the W. Ocsl blasting to 5600 ASL 14NM SW apt.	

PORT McNEILL (HOSP) BC (Heli)

CBM9

REF	N50 34 54 W127 04 01 Adj SE 18°E (2015) UTC-8(7) Elev 287' aprx A5004	
OPR	District Hosp 250-956-4461 Cert PPR	
PF	A-1,4 C-2,5	
FLT PLN	NOTAM FILE CYZT Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
FIC		
HELI DATA	FATO/TLOF 86' dia CONC Safety Area 115' dia GRASS/ASPH Max heli overall length 57.4'	
RCR	Opr	
COMM		
ATF	tfc 122.8 3NM 1700 ASL	
PRO	Arr/dep 024° fr heli, slope 6% (H3), day use only (CAR 602.96).	
CAUTION	Trees aprx 100' high 100' E of heli. Terrain rises rapidly to W of rwy.	

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B820 AERODROME/FACILITY DIRECTORY



POWELL RIVER BC (Cont'd)

CYPW

LIGHTING	09-AS(TE ME) P1, 27-AS(TE ME) P1 4° ARCAL-123.0 type K, exc RLS on high setting only. Both PAPI opr cont at medium intensity.
COMM	RCO Pacific rdo (Campbell River) 123.55 (FISE) 126.7 (bcst) (May not be receivable on gnd) MF tfc 123.0 5NM 3400 ASL TML Comox 123.7 227.6
NAV	NDB YPW 382 (L) N49 50 12 W124 30 05 DME 9S 109.3 Ch 30 N49 50 08 W124 29 57 (455') Pvt
PRO	Rgt hand circuits Rwy 09 (CAR 602.96). Two hazard bcns 2NM E A/D. Conduct ng't circuits pro W of hazard bcns; see VTPC. For IFR clnc ctc Comox Terminal 250-339-8115 before take off.
CAUTION	Only pilots familiar with terrain should use this aprt dur hrs of darkness. Ng't ops not recommended unless both hazard bcns are oprg. Trees aprx 250' S of rwy edge along full-length of rwy, trees to 150 AGL. Ocsl parajumps at A/D wknds, daylight hrs. 2 marked power poles to 25', 500' W of Thld 09, 170' N & S of rwy centreline. Deer in vicinity of rwy.

POWELL RIVER (HOSP) BC (Heli)

CPW8



REF	N49 51 05 W124 31 02 17°E (2016) UTC-8(7) Elev 297' A5004
OPR	Vancouver Coastal Health Authority 604-677-3672 Cert PPR
PF	A-1,2,3,4 C-5,6
FLT PLN	NOTAM FILE CYBL
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 86' dia CONC Safety Area 115' dia GRASS
RCR	Max heli overall length 57.4' (CAR 602.96) Opr
LIGHTING	RW(LO) green RF(FL)
COMM	MF tfc 123.0 5NM centred on Powell River A/D 1.2NM SE 3400 ASL (CAR 602.98) A/G Hosp Security 158.76 FM 3 min PN
PRO	Arr/dep 122° & 280° fr heli, slope 16% (H2), day/night use (CAR602.96).
CAUTION	P-lines to the N parallel to arr/dep path.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B828 AERODROME/FACILITY DIRECTORY

PRINCE RUPERT (HOSP) BC (Heli)

CBR8




REF	N54 18 19 W130 19 48 Adj 19°E (2013) UTC-8(7) Elev 268' A5013
OPR	Northern Health Authority 250-622-6262 Cert PPR
PF	B-1,2,4, C-3,5,6
FLT PLN	NOTAM FILE CYPR
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 86' dia CONC/ASPH Safety Area 115' dia ASPH Max heli overall length 57.4' (CAR 602.96)
LIGHTING	RW(LO) green ARCAL-123.2 type J
COMM	
RCO	Pacific rdo 123.275 (FISE) 126.7 (bcst)
MF	tfc 122.5 irregular shape see Prince Rupert VTPC 3100 ASL (CAR 602.98)
PRO	Arr/dep 301° to 251° fr heli and 041° fr heli. All slope 8% (H3) day/night use. (CAR 602.96). See Prince Rupert VTPC. ARRIVAL: Rpt by inbd call-up pt on tfc freq and advs routing and destn. Remain on tfc freq until landed. DEPARTURE: Advs obd rte and remain on tfc freq until clear of inbd call-up points.
CAUTION	Trees to 100 AGL both sides of 045° flight path.

PRINCE RUPERT / SEAL COVE (COAST GUARD) BC (Heli)

CBY5

REF	N54 19 54 W130 16 36 Adj NE 19°E (2014) UTC-8(7) Elev 17' A5013
OPR	Coast Guard 250-624-2086 Reg PPR
PF	B-1 C-2,3,4,5,6
FLT PLN	NOTAM FILE CYPR
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
WX	WxCam
HELI DATA	110' x 110' concrete
RCR	Opr
LIGHTING	RY(ME) PN




CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B852 AERODROME/FACILITY DIRECTORY


QUESNEL (G.R. BAKER MEM HOSP) BC (Heli)

CAZ4

REF	N52 58 57 W122 30 01 Adj 18°E (2014) UTC-8(7) Elev 1600' A5014	
OPR	Quesnel Hosp Admin 250-255-6698 Cert PPR	
PF	B-1,4 C-2,3,5,6	
FLT PLN	NOTAM FILE CYQZ Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
HELI DATA	FATO 64' dia CONC/GRASS TLOF 50' x 50' CONC Safety Area 85' dia GRASS Max heli overall length 43' (CAR 602.96)	
COMM	MF Williams Lake rdo 14-06Z± O/T tfc 122.2 5NM centred on Quesnel A/D 2.6NM NNW 4800 ASL (CAR 602.98)	
PRO	Arr/dep curved flt path 234° to 324° fr heli, slope 8% (H3) day use only. Arr/dep curved flt path 234° to 150° fr heli, slope 8% (H3) day use only.	

QUESNEL LAKE BC

CBK6

REF	N52 30 54 W121 02 42 Adj E 18°E (2012) UTC-8(7) Elev 2500' A5014	
OPR	Elysia Resort 250-243-2433 Reg May 15-Sep 30	
PF	A-1,2,5	
FLT PLN	NOTAM FILE CYWL Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
SERVICES	S 4,5	
RWY DATA	Rwy 07/25 2700x150 turf Rwy 25 up 2%	
RCR	Opr No win maint. Rwy soft when wet.	
COMM	ATF tfc 123.2 2NM 4000 ASL	
PRO	Rgt hand circuits Rwy 25 (CAR 602.96).	
CAUTION	Ravine W Thld 07. 50' trees at both rwy ends. 60' P-lines at thld of Rwy 25.	


CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B962 AERODROME/FACILITY DIRECTORY


SECHELT BC

CAP3

REF	N49 27 38 W123 43 07 1.3SE 17°E (2015) UTC-8(7) Elev 300' VTA A5004 LO2	
OPR	Dist of Sechelt 604-885-1986 Reg	
PF	C-1,2,3,4,5,6	
FLT PLN	NOTAM FILE CYCD FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
SERVICES		
FUEL S	100LL 604-885-1986 Avail 24 hrs 4,5	
RWY DATA	Rwy 11/29 2400x75 asphalt Opr 1600-0030Z± Mon-Fri. No win maint.	
RCR		
LIGHTING	11-(TE LO) AV 4.5°, 29-(TE LO) AV 4.5° ARCAL-123.5 type J	
COMM		
ATF	Sechelt tfc 123.5 2NM 2500 ASL	
PRO	Rgt hand circuits Rwy 11 (CAR 602.96). Circuit alt 1300 ASL over the water to allow adequate separation fr noise sensitive area loc btwn A/D & Strait of Georgia.	
CAUTION	<u>Strongly recommended that only pilots familiar with lcl terrain should use this A/D at ngt.</u> Rwy 11: trees to 100 AGL on apch & within 300' N of extended centreline. Unlgt'd terrain lies to N of aprt & rises steeply in dep area Rwy 29. Ditch 3' deep parallels N side of rwy aprx 35' fr rwy edge.	

SECHELT (SECHELT HOSPITAL) BC (Heli)

CBP4



REF	N49 28 34 W123 44 54 17°E (2014) UTC-8(7) Elev 179' VTA A5004
OPR	Vancouver Coastal Health Authority 604-677-3672 Cert PPR
FLT PLN	NOTAM FILE CYCD FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 79' x 79' CONC Safety Area 105' x 105' CONC/ASPH Max heli overall length 52.5' (CAR 602.96)
RCR	Opr
LIGHTING	DR(250°) RY(LO)

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

AERODROME/FACILITY DIRECTORY B963

SECHELT (SECHELT HOSPITAL) BC (Heli) (Cont'd)


CBP4

COMM	
ATF A/G	Sechelt tfc 123.5 3NM centred on Sechelt A/D 1.5NM ESE 2000 ASL. Hosp Security 158.76 FM 3 min PN
PRO	Arr/dep 273° to 253° curved, slope 12% (H2), day use only. Arr/dep 275° to 256° curved fr heli, slope 12% (H1). Arr/dep 143° fr heli, slope 16% (H1). Rstd to multi engine heli able to remain 15' abv all obst when opr in accordance with acft ftt manual with one engine inoperative (CAR 602.96).
CAUTION	<u>Strongly recommended that only pilots familiar with lcl terrain should use this heli at ngt. 100' P-lines 300' N of heli. 23' prkg lot lgts W & S of heli.</u>

SELKIRK MB

CKL2

REF	N50 10 20 W96 52 20 1N 3°E (2015) UTC-6(5) Elev 747' VTA A5007
OPR	Riverside Aircraft Maintenance Ltd. 204-482-3270 Fax 204-482-3438 Reg PPR
PF	B-1 C-2,3,4,5,6
FLT PLN FIC	NOTAM FILE CYDN Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
SERVICES FUEL OIL S	100LL All 2




RWY DATA RCR	Rwy 11(117°)/29(297°) 3000x90 gravel Opr Ltd win maint
-------------------------------	---

COMM ATF	UNICOM ltd hrs O/T tfc 122.8 3NM 1800 ASL
PRO	All VFR acft intending ftt within Winnipeg Class C airspace (Winnipeg CZ & TCA) ctc Winnipeg FIC 866-541-4103 or applicable FISE freq at least 15 min prior to entering Class C airspace for transponder code. Set transponder to discrete code prior to contacting ATC.
CAUTION	33 AGL hydro lines apch Rwy 29. Blasting 0.2 NM radius N50 11 27 W96 46 47 aprx 4NM ENE A/D SFC to 2028 ASL (1280 AGL) dly 15-22Z†.

SELKIRK ON

CJA2

REF	N42 48 25 W79 58 37 2.6SW 10°W (2015) UTC-5(4) Elev 620' A5000
OPR	Jaime Alexandre 905-929-3215 Reg
PF	C-1,2,3,4
FLT PLN FIC	NOTAM FILE CYHM London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA) or 519-452-4040
RWY DATA RCR	Rwy 08(083°)/26(263°) 2021x80 TURF Opr No win maint. Soft when wet.
COMM ATF	tfc 122.9 5NM 3700 ASL





CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018
B1084 AERODROME/FACILITY DIRECTORY

TRAIL (KOOTENAY BOUNDARY REGIONAL HOSPITAL) BC (Heli)

CKB3




REF	N49 06 13 W117 42 01 Adj N 16°E (2013) UTC-8(7) Elev 1526' A5005
OPR	Interior Health Authority 250-368-3311 or 250-231-2700 Cert PPR
PF	A-1,4 C-5 D-2,3,6
FLT PLN	NOTAM FILE CYCG
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO 86' dia TLOF 58' dia CONC Safety Area 115' dia, elevated pad Max heli overall length 57.4' (CAR 602.96)
RCR	Opr Day only
LIGHTING	RY(LO) PN
COMM	
ATF	tfc 123.2 5NM 4400 ASL
PRO	Arr/dep 105° to 091° and 258° to 284° curved fr heli, slope 16% (H2) day only.
CAUTION	Lgtd stack W of hosp. Lgtd wi on hosp. Large unmarked rock outcropping on uphill side aprx 150' fr pad on 256° mag (274° true).

TREHERNE MB

CKU2

REF	N49 37 52 W98 39 59 2E 6°E UTC-6(5) Elev 1200' A5007
OPR	Boyne Valley Aviation 204-723-2175/2643 or 204-526-7309 Reg PPR
PF	B-1 C-2,4,5
FLT PLN	NOTAM FILE CYDN
FIC	Winnipeg 866-WXBRIEF (Toll free within Canada) or 866-541-4103 (Toll free within Canada & USA)
RWY DATA	Rwy 09(096°)/27(276°) 2600x90 turf Rwy 17(174°)/35(354°) 1750x65 turf Rwy 17 slopes up
RCR	Opr No win maint



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

AERODROME/FACILITY DIRECTORY B1129



VANCOUVER / BOUNDARY BAY BC (Cont'd)

CZBB

HELI	All heli ctc gnd for departure instructions. GAS STATION DEPARTURE Track eastbound over Hwy 99. Not above 500 ASL til GAS STATION. Transmit intentions to Delta Air Park tfc on 123.3 prior to GAS STATION if BLW 1000 ASL. Ctc ZBB TWR on 127.6 after passing AK3 if climbing to 1000 ASL or abv. LANDFILL ARRIVAL Report approaching HWY 91 track 1 NM North of Hwy 99 to LANDFILL. Transmit intentions to Delta Air Park tfc on 123.3 prior to crossing Hwy 91. Overfly LANDFILL 500 ASL or below. Cross Hwy 99 abm LANDFILL to apron. ARR/DEP N or NW will be routed via LANDFILL. Cross LANDFILL 500 ASL or BLW. Heli in excess of 58' overall length PPR. Heli ops prohibited within 30' vertical & 90' horizontal fr all refueling eqpt.
CAUTION	Extensive bird activity. High density tfc area E of CZ. Extensive flt tng ops.

VANCOUVER (CHILDREN & WOMEN'S HEALTH CENTRE) BC (Heli)

CAK7



REF	N49 14 38 W123 07 38 17°E (2014) UTC-8(7) Elev 239' VTA A5004
OPR	Provincial Health Services Authority 604-677-3672 Cert PPR
PF	B-1,2,4 C-3,5,6
FLT PLN	NOTAM FILE CYVR
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 86' dia CONC/TURF Safety Area 115' dia TURF Max heli overall length 57' (CAR 602.96)
LIGHTING	RW(LO) DR PN
COMM	
ATIS	Vancouver Harbour 126.8 1-877-517-2847 dur twr hrs of ops
CLNC DEL	Vancouver Harbour 125.35 all dep acft ctc clnc del dur twr oprg hrs
TWR	Vancouver Harbour 118.4 (V) 15-02Z± or til 1/2 hr after SS, whichever is later O/T Vancouver 124.02. Vancouver Harbour CZ shape irregular 2500 ASL.
A/G	Hosp Security 158.76 FM 3 min PN
PRO	Arr/dep 343° fr heli, slope 12% (H1), day/night use (CAR 602.96). Noise sensitive area, use noise abatement profile for acft type. Transponder mode C rqrd in CZ & tml class "C" airspace.
CAUTION	Numerous unlit trees all quads. Numerous cranes within 800' of heli max 549' ASL.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B1132 AERODROME/FACILITY DIRECTORY

VANCOUVER (GEN HOSP) BC (Heli)

CBK4



REF	N49 15 43 W123 07 28 17°E (2014) UTC-8(7) Elev 235' VTA A5004
OPR	Vancouver General Hospital 1-877-696-8989 Cert PPR
PF	B-1,2,4 C-3,5,6
FLT PLN	NOTAM FILE CYVR
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 90' x 90' CONC elevated Safety Area 115' dia non-supporting 18,000 lbs Max heli overall length 57.4' (CAR 602.96)
RCR	Op
LIGHTING	RW(LO) ARCAL-123.2 type J
COMM	
ATIS	Vancouver Harbour 126.8 1-877-517-2847 dur twr hrs of ops
CLNC DEL	Vancouver Harbour 125.35 all dep acft ctc clnc del dur twr oprg hrs.
TWR	Vancouver Harbour 118.4 (V) 15-02Z± or til 1/2 hr after SS, whichever is later, O/T tfc Vancouver Harbour CZ shape irregular 2500 ASL.
A/G	Hosp Security 158.76 FM 3 min PN
PRO	Arr/dep 323° to 042° fr heli, slope 16% (H1) (CAR 602.96). Ctc provincial dispatch EHS prior to arr/dep on 130.275 VHF-AM.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

AERODROME/FACILITY DIRECTORY B1137

VANCOUVER / NEW WESTMINSTER (ROYAL COLUMBIAN HOSP) BC (Heli)



CNW9



REF	N49 13 35 W122 53 25 17°E (2012) UTC-8(7) Elev 124' VTA
OPR	Fraser Health Authority 604-677-3672 Cert PPR
PF	B-1,2,4 C-3,5,6
FLT PLN	NOTAM FILE CYVR
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO 87' dia non-supporting TLOF 58' x 58' CONC Safety Area 116' dia non-supporting 16,000 lbs Max heli overall length 58.1' (CAR 602.96)
RCR	Opr
LIGHTING	RY(LO)
COMM	
ATIS	Vancouver Airport 124.6 1-877-517-2847
TWR	Vancouver Outer 124.02
A/G	Hosp Security 158.76 FM 3 min PN
PRO	Arr/dep 082° to 156° fr heli, slope 12% (H1), day/night use (CAR 602.96)

VANCOUVER (SURREY MEMORIAL HOSP) BC (Heli)

CVS3



REF	N49 10 33 W122 50 38 Adj 17°E (2014) UTC-8(7) Elev 367' VTA A5004
OPR	Fraser Health Authority 604-677-3672 Cert PPR

CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B1138 AERODROME/FACILITY DIRECTORY

VANCOUVER (SURREY MEMORIAL HOSP) BC (Cont'd) (Heli)

CVS3

PF	B-1,2,3,4 C-5,6
FLT PLN	NOTAM FILE CYVR
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO 86' x 86' non-supporting TLOF 57' x 57' CONC Safety Area 115' x 115' non-supporting Max heli overall length 57.4' Elevated rooftop 14,690 lbs
RCR	Opr
LIGHTING	RY(LO) green PN
COMM	
ATF	tfc 123.2 1.5NM 1500 ASL
A/G	Hosp Security 158.76 FM 3 min PN
PRO	Arr/dep 043° to 118° & 208° to 283° fr heli (H1), day/night use. (CAR 602.96)
CAUTION	High velocity hosp exhaust vents adj, S heli. Elevator penthouse adj, N heli. LED obst lgt not vis through NVG.



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

B1146 AERODROME/FACILITY DIRECTORY

VICTORIA (GEN HOSP) BC (Heli)



CBW7



REF	N48 28 05 W123 25 56 17°E (2012) UTC-8(7) Elev 53' VTA A5004
OPR	Vancouver Island Health Authority 250-370-8575 Cert PPR
PF	A-1,2,4 C-3,5,6
FLT PLN	NOTAM FILE CYYJ
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 86' dia CONC Safety Area 115' dia GRASS Max heli overall length 57.4'
RCR	Opr
LIGHTING	DR(LO) RW(LO) PN
COMM	
RADIO	Harbour rdo 122.2 (V) 1345-0530Z±
RCO	Pacific rdo 125.85 (FISE) 126.7 (bcst)
ATIS	Victoria Harbour 120.0 14-05Z±
MF/ATF	Harbour rdo 1345-0530Z± O/T Harbour tfc 122.2 5NM 2500 ASL within Victoria Harbour CZ (CAR 602.98)
PRO	Arr/dep 094° to 113° fr heli, slope 12% (H2), day/night use. Arr/dep 280° fr heli, slope 16% (H2), day use only.
CAUTION	DR aligned with 094° fr heli.


VICTORIA (ROYAL JUBILEE HOSP) BC (Heli)

CBK8





REF	N48 26 03 W123 19 31 1S 17°E (2014) UTC-8(7) Elev 51' VTA A5004
OPR	Vancouver Island Health Authority 250-370-8575 Cert PPR
PF	A-1,2,4 C-3,5,6
FLT PLN	NOTAM FILE CYYJ
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 86' dia ASPH/CONC Safety Area 115' dia CONC/GRASS Max heli overall length 57.4' (CAR 602.96).
RCR	Opr
LIGHTING	DR(LO) RY(LO) Green PN
COMM	
RADIO	Harbour rdo 122.2 (V) 1345-0530Z±
RCO	Pacific rdo 125.85 (FISE) 126.7 (bcst)
ATIS	Victoria Harbour 120.0 14-05Z±
MF/ATF	Harbour rdo 1345-0530Z± O/T Harbour tfc 122.2 5NM 2500 ASL within Victoria Harbour CZ (CAR 602.98)
A/G	Ambulance dispatch 130.275
PRO	Arr/dep curved flt path 348° to 306° fr heli, slope 12% (H2) day/night use (CAR 602.96). Aim jet exhaust away fr hosp at all times.
CAUTION	Powerline and poles aprx 558' N of heli, marked with obst lgt and marker balls; trees and hosp bldg W of flt path; oxygen tanks aprx 150' S of heli.

WHISTLER HELI VFR TERMINAL PROCEDURES CHART



WHISTLER (HOSPITAL) BC (Heli)

CAW4



CANADA FLIGHT SUPPLEMENT / GPH 205

Effective 0901Z 24 May 2018 to 0901Z 19 July 2018

AERODROME/FACILITY DIRECTORY B1187

WHISTLER (HOSPITAL) BC (Heli) (Cont'd)

CAW4

OPR	Vancouver Coastal Health Authority 604-677-3672 Cert PPR
PF	A-1,4 C-2,3,5,6
FLT PLN	NOTAM FILE CYVR
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
WX	METAR 15-01Z (DT 13-01Z) (CWAE)
HELI DATA	FATO 86' dia non-supporting TLOF 69' dia CONC elevated Safety Area 115' dia non-supporting Max heli overall length 57.4' (CAR 602.96)
RCR	Opr
LIGHTING	RY(LO) ARCAL-122.8 type J
COMM	
ATF	tfc 122.7 5NM 5200 ASL
A/G	Hosp Security 158.76 FM 3 min PN
PRO	Arr/dep 358° fr heli, slope 28% (H1), day use only; arr/dep curved 090° thru 180° fr heli, slope 8% (H3), day/night use (CAR 602.96); ctc Opr prior to ldg for vehicle and pedestrian tfc ctl on Lorimer Road and Blackcomb Way. See VTPC for noise abatement routes.
CAUTION	Numerous marked 30' tfc & street lgts N heli. Steeper than normal apch rqrd. Aerial tramway aprx 1.6NM long btn Whistler Mountain and Blackcomb Peak (aprx 2.7NM ESE A/D) 6206 ASL to 4810 ASL.

WHISTLER (MUNICIPAL) BC (Heli)

CBE9

REF	N50 10 W122 54 4.5NE 17°E (2014) UTC-8(7) Elev 2116' A5004
OPR	Whistler Heliport Society 604-938-1700 Reg Ldg fees
PF	D-1,2,3,4,5,6
FLT PLN	NOTAM FILE CYVR
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
WX	604-932-5413 METAR 15-01Z (DT 13-01Z) 4.0NE (CWAE) WxCam
SERVICES	Call out chg may be levied for one or more services.
FUEL	JA
S	4
HELI DATA	130' x 130' asphalt, max length 85'
RCR	Opr 1600-0130Z† Ltd win maint
COMM	
ATF	tfc 122.7 5NM 5200 ASL
PRO	See VTPC for noise abatement routes.
CAUTION	Aerial tramway aprx 1.6NM long btn Whistler Mountain and Blackcomb Peak (aprx 4NM SE A/D) 6206 ASL to 4810 ASL.