

FOR IMMEDIATE RELEASE Media contact: Kate Howell Director of Content Marketing 407.875.1999 x324 K.Howell@ThinkAgency.com

Photos included: sourced from <u>https://www.tnah.com/</u> Demilec logo included in email

Demilec Sealection® 500 Spray Foam Insulation Maximizes Energy Efficiency, Eco-Building Principles in The New American Home 2020

ARLINGTON, TX (Jan. 21, 2020) – Demilec, a leader in energy-efficient, environmentally conscious spray foam insulations and coatings, is proud to announce that its open-cell spray foam insulation, Sealection® 500, is featured in The New American Home (TNAH) 2020.

Demilec's Sealection 500, sprayed into the thermal shell of the 7,683-square-foot dwelling, was chosen for its superior insulating capabilities and ease of use. Sealection 500 creates a comfortable environment by helping to minimize drafts, outside noise and the entry of allergens and pollutants into the home. Best of all, this spray foam insulation reduces heating and cooling costs by up to 50%.

National sales director Joe Stockdale said, "We were very happy to work with the nation's largest insulating company Installed Building Products (IBP). The install went very quick, very easy, and all of the other trades were very happy with the speed of application."

For the TNAH 2020 construction, Sealection 500 was used in all standard wall cavities and the underside of roof deck areas, creating an air seal.

Other Sealection 500 benefits include:

- Creates an R-value of 3.81 at 1 inch
- Water blown with zero GWP
- Tested and certified for unvented attics without a prescribed ignition barrier
- Single application expands to 120 times its liquid volume
- Minimizes outside noise
- Reduces dust and allergens

Demilec Inc. 3315 E. Division Street Arlington, TX 76011 888.224.1533 | www.Demilec.com



The showcase home, located in the Las Vegas suburb of Henderson, was designed and constructed to meet National Green Building Standard "Emerald" level certification as well as Energy Star and net-zero status.

TNAH 2020 features four bedrooms, five and a half bathrooms, multiple outdoor water elements, two showroom-sized garages, a large vanishing pool and a heated outdoor entertainment space. With the energy-saving features, TNAH 2020 is projected to provide 122% more efficiency over average new builds, or a \$7,050 annual savings on energy costs.

Tours of the home will be available during the National Association of Home Builders (NAHB) International Builder's Show from January 21 to 23 in Las Vegas and via <u>3D</u> <u>virtual tours</u>.

About Demilec, Inc.:

Demilec, Inc., a subsidiary of Huntsman Corp., has been recognized as an industry leader in using innovative technology and advanced science to create a line of open-cell and closed-cell spray foam insulation and coatings for more than 33 years. Demilec focuses on meeting market demands for more energy-efficient products and serves a range of industries, including industrial, residential, commercial, agricultural, original equipment manufacturer, education, water, oil and gas, energy, military, and civil. For more information, visit <u>www.demilec.com</u>.

Forward-Looking Statements:

Certain information in this release constitutes forward-looking statements within the meaning of Section 27A of the Securities Act of 1933 and Section 21E of the Securities Exchange Act of 1934. These statements are based on management's current beliefs and expectations. The forwardlooking statements in this release are subject to uncertainty and changes in circumstances and involve risks and uncertainties that may affect the company's operations, markets, products, services, prices and other factors as discussed under the caption "Risk Factors" in the Huntsman companies' filings with the U.S. Securities and Exchange Commission. Significant risks and uncertainties may relate to, but are not limited to, volatile global economic conditions, cyclical and volatile product markets, disruptions in production at manufacturing facilities, reorganization or restructuring of Huntsman's operations, including any delay of, or other negative developments affecting the ability to implement cost reductions and manufacturing optimization improvements in Huntsman businesses and realize anticipated cost savings, and other financial, economic, competitive, environmental, political, legal, regulatory and technological factors. The company assumes no obligation to provide revisions to any forward-looking statements should circumstances change, except as otherwise required by applicable laws.

Demilec warrants only that its products meet the specifications stated herein, if any. Typical properties, where stated, are to be considered as representative of current production and should not be treated as specifications. While all the information presented in this document is believed to

Demilec Inc. 3315 E. Division Street Arlington, TX 76011 888.224.1533 | www.Demilec.com



be reliable and to represent the best available data on these products, DEMILEC MAKES NO WARRANTY OR GUARANTEE OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR. PURPOSE. NON-INFRINGEMENT OF ANY INTELLECTUAL PROPERTY RIGHT OF ANY THIRD PARTY, OR WARRANTIES AS TO QUALITY OR CORRESPONDENCE WITH PRIOR DESCRIPTION OR SAMPLE, AND ANY USER OF PRODUCTS DESCRIBED HEREIN SHOULD CONDUCT A SUFFICIENT INVESTIGATION TO ESTABLISH THE SUITABILITY OF ANY PRODUCT FOR ITS INTENDED USE AND ASSUMES ALL RISK AND LIABILITY WHATSOEVER. RESULTING FROM THE USE OF SUCH PRODUCT, WHETHER USED SINGLY OR IN COMBINATION WITH OTHER SUBSTANCES. Product(s) described in this publication may be hazardous and/or toxic and require special precautions in handling. For all product(s) described herein, the user should obtain from Demilec detailed information on hazards and/or toxicity, together with proper shipping, handling, and storage procedures, and should comply with all applicable safety and environmental standards. The behavior, hazards and/or toxicity of the product(s) referred to in this publication in manufacturing processes and their suitability in any given end-use environment are dependent upon various conditions such as chemical compatibility, temperature, and other variables, which may not be known to Demilec. It is the sole responsibility of the user of such product(s) to evaluate the manufacturing circumstances and the final product(s) under actual enduse requirements and to adequately advise and warn future purchasers and users thereof.